

MODEL 5252 KODIAK SELF CONTAINED LOADER MOUNT



NOTHING CAN STAND UP TO A KODIAK



ENGINE

Horsepower at requested level
580-644 hp

CAPACITY

Up to 5,000 tph (tons per hour)

CUTTING WIDTH

120-132 inches

INPUT REEL SIZE

52 inches

CASTING DISTANCE

Up to 150 feet

STRUCTURAL

Hardox AR450 & T-1 Steel

STANDARD ITEMS

Engine Block Heater
Two-stage air cleaner

Wired control panel for loader

Scrapper Blade

Right/Left casting through

145 degrees

Steel Engine Cover

Gear Boxes (self lubricating)

Serrated Ribbons

Skid Shoes

Shear Pin Protected

Over Center or Air Clutch

remotely controlled

Steel Engine Cover with ample
access to engine and components

OPTIONS

Truck Loading Spot Casting Chute

Wireless Remote Controls from

Loader Cab to Snow Blower

Model	580	644
Engine	CAT C15 @ 580 hp	Mercedes 502 @ 644 hp
Ribbon	52	52
Cutting Height	67	67
Impeller	52	52
Drum Depth	20	20
Plow Width	132 (120 opt)	132 (120 opt)
Capacity	up to 5,000	up to 5,000
Weight	18,000	18,500
Height	88 (cutter bars 102)	88 (cutter bars 102)
Length	140	145



www.kodiakamerica.us

KODIAK AMERICA

Sales:
1350 Pomerelle Avenue
Burley, Idaho 83318 USA
Tel: 208-438-8248 | Fax: 208-438-8502
Email: sales@kodiakamerica.us

Parts & Service:
Tel: 208-219-5064 | Fax: 208-438-8502
E-mail: parts@kodiakamerica.us

After Hours:
Tel: 208-219-5064

Dealer

MODEL 4852 KODIAK SELF CONTAINED LOADER MOUNT



NOTHING CAN STAND UP TO A KODIAK



ENGINE

Horsepower at requested level
475-644 hp

CAPACITY

Up to 5,000 tph (tons per hour)

CUTTING WIDTH

120-132 inches

INPUT REEL SIZE

48 inches

CASTING DISTANCE

Up to 150 feet

STRUCTURAL

Hardox AR450 & T-1 Steel

STANDARD ITEMS

Engine Block Heater
Two-stage air cleaner

Wired control panel for loader

Scraper Blade

Right/Left casting through

145 degrees

Steel Engine Cover

Gear Boxes (self lubricating)

Serrated Ribbons

Skid Shoes

Shear Pin Protected

Over Center or Air Clutch

remotely controlled

Steel Engine Cover with ample

access to engine and components

OPTIONS

Truck Loading Spot Casting Chute

Wireless Remote Controls from

Loader Cab to Snow Blower

Model	475	580	644
Engine	CAT C13 @ 475 hp	CAT C15 @ 580 hp	Mercedes 502 @ 644 hp
Ribbon	48	48	48
Cutting Height	67	67	67
Impeller	52	52	52
Drum Depth	16	20	20
Plow Width	132 (120 opt)	132 (120 opt)	132 (120 opt)
Capacity	up to 4,000	up to 5,000	up to 5,000
Weight	17,000	18,000	18,500
Height	88 (cutter bars 102)	88 (cutter bars 102)	88 (cutter bars 102)
Length	140	140	145



www.kodiakamerica.us

KODIAK AMERICA

Sales:
1350 Pomerelle Avenue
Burley, Idaho 83318 USA
Tel: 208-438-8248 | Fax: 208-438-8502
Email: sales@kodiakamerica.us

Parts & Service:
Tel: 208-219-5064 | Fax: 208-438-8502
E-mail: parts@kodiakamerica.us

After Hours:
Tel: 208-219-5064

Dealer

MODEL 4444 KODIAK SELF CONTAINED LOADER MOUNT



NOTHING CAN STAND UP TO A KODIAK



ENGINE

Horsepower at requested level
350 hp

CAPACITY

Up to 3,200 tph (tons per hour)

CUTTING WIDTH

108-120 inches

INPUT REEL SIZE

44 inches

CASTING DISTANCE

Up to 150 feet

STRUCTURAL

Hardox AR450 & T-1 Steel

STANDARD ITEMS

Engine Block Heater
Two-stage air cleaner

Wired control panel for loader

Scraper Blade

Right/Left casting through

145 degrees

Steel Engine Cover

Gear Boxes (self lubricating)

Serrated Ribbons

Skid Shoes

Shear Pin Protected

Over Center or Air Clutch

remotely controlled

Steel Engine Cover with ample
access to engine and components

OPTIONS

Truck Loading Spot Casting Chute

Wireless Remote Controls from

Loader Cab to Snow Blower

Model	350
Engine	CAT C9 @ 350 hp
Ribbon	44
Cutting Height	48
Impeller	44
Drum Depth	16
Plow Width	108 (120 opt)
Capacity	up to 2,500
Weight	12,000
Height	78
Length	106



www.kodiakamerica.us

KODIAK AMERICA

Sales:
1350 Pomerelle Avenue
Burley, Idaho 83318 USA
Tel: 208-438-8248 | Fax: 208-438-8502
Email: sales@kodiakamerica.us

Parts & Service:
Tel: 208-219-5064 | Fax: 208-438-8502
E-mail: parts@kodiakamerica.us

After Hours:
Tel: 208-219-5064

Dealer

MODEL 3644 KODIAK SELF CONTAINED LOADER MOUNT



NOTHING CAN STAND UP TO A KODIAK



ENGINE

Horsepower at requested level
275-420 hp

CAPACITY

Up to 3,200 tph (tons per hour)

CUTTING WIDTH

108-120 inches

INPUT REEL SIZE

36 inches

CASTING DISTANCE

Up to 150 feet

STRUCTURAL

Hardox AR450 & T-1 Steel

STANDARD ITEMS

Engine Block Heater
Two-stage air cleaner

Wired control panel for loader

Scraper Blade

Right/Left casting through

145 degrees

Steel Engine Cover

Gear Boxes (self lubricating)

Serrated Ribbons

Skid Shoes

Shear Pin Protected

Over Center or Air Clutch

remotely controlled

Steel Engine Cover with ample
access to engine and components

OPTIONS

Truck Loading Spot Casting Chute

Wireless Remote Controls from
Loader Cab to Snow Blower

Model	275	350	420
Engine	CAT C7 @275 hp	CAT C9 @ 350 hp	CAT C11 @ 420 hp
Ribbon	36	36	36
Cutting Height	48	48	48
Impeller	44	44	44
Drum Depth	12	16	20
Plow Width	108 (120 opt)	108 (120 opt)	108 (120 opt)
Capacity	up to 2,000	up to 2,500	up to 3,200
Weight	11,000	12,000	13,000
Height	78	78	78
Length	102	106	110



www.kodiakamerica.us

KODIAK AMERICA

Sales:
1350 Pomerelle Avenue
Burley, Idaho 83318 USA
Tel: 208-438-8248 | Fax: 208-438-8502
Email: sales@kodiakamerica.us

Parts & Service:
Tel: 208-219-5064 | Fax: 208-438-8502
E-mail: parts@kodiakamerica.us

After Hours:
Tel: 208-219-5064

Dealer

MODEL 3036 KODIAK SELF CONTAINED LOADER MOUNT



NOTHING CAN STAND UP TO A KODIAK



ENGINE
Horsepower at requested level
130-202 hp

CAPACITY
Up to 2,000 tph (tons per hour)

CASTING DISTANCE
Up to 100 feet

CUTTING WIDTH
82-102 inches

CUTTING HEIGHT
42 inches

VOLUTE DEPTH
up to 12 inches

IMPELLER SIZE
36 inches

INPUT REEL SIZE
30 inches

FUEL TANK
Up to 65 gallons

PLOW WIDTH
102 inches

RIBBON
30 inches

STRUCTURAL
Hardox and T-1 Steel

WEIGHT
4,400 lto 6,900 bs.

STANDARD ITEMS
Engine Block Heater
Two-stage air cleaner
Wired control panel for loader
Scrapper Blade
Right/Left casting
Steel Engine Cover

Self Lubricating Gear Boxes
Serrated Ribbons
Skid Shoes
Shear Pin Protected
Kodiak Self-Adjusting Clutch
Remote Controlled
Steel Engine Cover with
access to engine and
components

OPTIONS
Truck Loading Chute
Wireless Remote Control Box



www.kodiakamerica.us

KODIAK AMERICA

Sales:
1350 Pomerelle Avenue
Burley, Idaho 83318 USA
Tel: 208-438-8248 | Fax: 208-438-8502
Email: sales@kodiakamerica.us

Parts & Service:
Tel: 208-219-5064 | Fax: 208-438-8502
E-mail: parts@kodiakamerica.us

After Hours:
Tel: 208-219-5064

Dealer